

EU Type Examination Certificate

This is to certify that:

JSP Limited
Worsham Mill
Minster Lovell
Witney, Oxford
OX29 0TA
United Kingdom

Holds Certificate Number:

CE 682750

In respect of:

**Personal Eye Protection – Faceshields
To EN 166:2001 & EN 1731:2006**

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified
Body for the above Regulation
(Notified Body Number 2797):

Drs. Dave Hagenaaars, Managing Director

First Issued: 2018-04-04

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2023-04-21

Page: 1 of 10



...making excellence a habit.™

EU Type Examination Certificate

No. CE 682750

Product Details:

Product Type: Faceshield

Model: **Invincible®**

Consisting of: A polypropylene or polycarbonate browguard
A nylon head harness
A visor (see below)
An optional polypropylene or polycarbonate chinguard

Visor types: 15cm, 17.5cm, 20cm or 25cm polycarbonate
15cm, 17.5cm, 20cm or 25cm acetate
20cm wire mesh

Technical Specification: EN 166:2001, EN 1731:2006

Classifications

Polycarbonate Visor:

Tested to EN 166:2001
Optical Class 1
Shade 2C-1.2
Protection against high speed particles, medium energy impact – B
Protection against liquid droplets and splashes – 3
Protection against molten metal and hot solids – 9

Acetate Visor:

Tested to EN 166:2001
Optical Class 1
Protection against high speed particles, low energy impact – F
Protection against liquid droplets and splashes – 3

Wire Mesh:

Tested to EN 1731:2006
Minimal robustness – S

First Issued: 2018-04-04

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2023-04-21

Page: 2 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Product Details (Continued):

Product Type:	Faceshield
Model:	Facesaver also known as Martcare®
Consisting of:	A polypropylene or polycarbonate browguard A nylon head harness A visor (see below) An optional polypropylene or polycarbonate chinguard
Visor types:	15cm, 17.5cm, 20cm or 25cm polycarbonate
Technical Specification:	EN 166:2001
Classifications	
Polycarbonate Visor:	Optical Class 1 Protection against high speed particles, medium energy impact – B Protection against liquid droplets and splashes – 3 Protection against molten metal and hot solids – 9

First Issued: 2018-04-04

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2023-04-21

Page: 3 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Product Details (Continued):

Product Type:	Faceshield
Model:	Liteguard
Consisting of:	A polypropylene browguard A polypropylene head harness with foam backed nylon sweatband A visor (see below)
Visor types:	20cm polycarbonate/acetate
Technical Specification:	EN 166:2001
Classifications	
Polycarbonate Visor:	Optical Class 1 Protection against high speed particles, medium energy impact – B Protection against liquid droplets and splashes – 3
Acetate Visor:	Optical Class 1 Protection against high speed particles, low energy impact – F Protection against liquid droplets and splashes – 3

First Issued: 2018-04-04
Latest Issue: 2022-04-25

Effective Date: 2022-04-25
Expiry Date: 2023-04-21

Page: 4 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Product Details (Continued):

Product Type: Helmet mounted faceshields.

Models: **Surefit™ Helmet Mounted Visor Carrier and Visors:**
17.5 cm deep, 1.0 mm thick acetate visor complete with chin guard.
20 cm, 1.0 mm thick acetate visor.
17.5 cm, 1.0 mm thick polycarbonate visor complete with chin guard.
20 cm, 1.0 mm thick polycarbonate visor.
17.5 cm, 1.5 mm thick polycarbonate visor complete with chin guard.
20 cm, 1.5 mm thick polycarbonate visor.
20 cm, 1.0 mm thick wire gauze visor.

Technical Specification: EN 166:2001, EN 1731:2006

Polycarbonate Visors: Tested to EN 166:2001
Optical Class 1
Shade 2C-1.2

1.0 mm Thick Visors: Protection against high speed particles, medium energy impact – B
Protection against liquid droplets and splashes – 3
Protection against molten metal and hot solids – 9

1.5 mm thick visors: Protection against high speed particles, medium energy impact – B
Protection against liquid droplets and splashes – 3
Protection against short electric arc – 8
Protection against molten metal and hot solids – 9

Acetate Visors: Tested to EN 166:2001
Optical Class 1
Protection against high speed particles, low energy impact – F
Protection against liquid droplets and splashes – 3

Mesh Visors: Tested to EN 1731:2006
Minimal robustness – S

First Issued: 2018-04-04

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2023-04-21

Page: 5 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Product Details (Continued):

Carrier: Protection against high speed particles, medium energy impact – B
Protection against liquid droplets and splashes – 3
Protection against short electric arc – 8
Protection against molten metal and hot solids – 9

The visor and carrier assemblies are designed for fitting to a JSP Ltd industrial safety helmet via JSP 'Surefit' connectors. The two 17.5cm versions of the visors are fitted with a chin guard.

First Issued: 2018-04-04
Latest Issue: 2022-04-25

Effective Date: 2022-04-25
Expiry Date: 2023-04-21

Page: 6 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Product Details (Continued):

Product Type:	Ear defender mounted faceshield
Model:	Bushmaster
Consisting of:	A polypropylene browguard A visor (see below) PVC encased wire headband ear defender
Visor types:	20cm polycarbonate 20cm wire mesh
Technical Specification:	EN 166:2001, EN 1731:2006
Classifications	
Polycarbonate Visor:	Tested to EN 166:2001 Optical Class 1 Protection against high speed particles, medium energy impact – B
Mesh Visor:	Tested to EN 1731:2006 Minimal robustness – S

The overall system consists of an ear defender mounted visor carrier that can be fitted with either a wire mesh visor or a clear polycarbonate visor.

The visor carrier is designed to be used in conjunction with JSP Ltd Classic Extreme Ear Defender, certified by BSI on CE certificate CE 676978.

First Issued: 2018-04-04
Latest Issue: 2022-04-25

Effective Date: 2022-04-25
Expiry Date: 2023-04-21

Page: 7 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Product Details (Continued):

Product Type: EVOGUARD™ Browguard/Helmet Mounted Faceshield

Models:

- EVOGUARD™ C1 Clear Visor**
- EVOGUARD™ C2 Clear Visor**
- EVOGUARD™ C3 Clear Visor**
- EVOGUARD™ C4 Clear Visor**
- EVOGUARD™ C5 Clear Visor**
- EVOGUARD™ M1 Mesh Visor**
- EVOGUARD™ M2 Mesh Visor**
- EVOGUARD™ M3 Mesh Visor**

Technical Specification: EN 166:2001, EN 1731:2006 & GS-ET-29:2011/05

Polycarbonate Visors: Tested to EN 166:2001
Optical Class 1

C1: Protection against high speed particles, high energy impact at extremes of temperature – AT
Protection against liquid droplets and splashes – 3
Protection against molten metal and hot solids – 9
Shade 2C-1.2

C2: Protection against high speed particles, high energy impact at extremes of temperature – AT
Protection against liquid droplets and splashes – 3
Protection against molten metal and hot solids – 9
Resistance to surface damage by fine particles – K
Resistance to fogging of oculars – N
Shade 2C-1.2

C4: Protection against high speed particles, high energy impact at extremes of temperature – AT
Protection against liquid droplets and splashes – 3
Protection against molten metal and hot solids – 9
Resistance to surface damage by fine particles – K
Resistance to fogging of oculars – N
Shade 2C-1.2

First Issued: 2018-04-04

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2023-04-21

Page: 8 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Product Details (Continued):

C5: Protection against high speed particles, high energy impact at extremes of temperature – AT
Protection against liquid droplets and splashes – 3
Protection against short electric arc – 8-1-0⁽¹⁾
Protection against molten metal and hot solids – 9
Resistance to surface damage by fine particles – K
Resistance to fogging of oculars – N
Shade 2C-1.2

Copolyester Visor:

C3: Protection against high speed particles, medium energy impact at extremes of temperature – BT
Protection against liquid droplets and splashes – 3
Shade 2C-1.2

Mesh Visors: Tested to EN 1731:2006

M1: Minimal robustness – S

M2: Minimal robustness – S

M3: Protection against high speed particles, low energy impact – F

Browguard: Tested to EN 166:2001

Protection against high speed particles, medium energy impact at extremes of temperature – BT

Tested to EN 1731:2006

Protection against high speed particles, low energy impact – F

Note ⁽¹⁾ – Tested in accordance with GS-ET-29:2011/05, the '1' is the fault class, meaning it provides adequate protection against short-circuit currents of 4 Ka ± 5% and the '0' is the light transmittance class where it means a VLT ≥ 75%

The EVOGUARD™ Visors range can be used on either EVOGUARD™ Browguard or Mk®/ EVO® range of JSP helmets and fitted with helmet mounted ear defenders listed on CE 676978 issued by BSI.

First Issued: 2018-04-04

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2023-04-21

Page: 9 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 682750

Certificate administration details:

Technical File Reference: AFA011-110-100, AFM061-230-400, AFZ061-131-100, ANV000-001-100, G-LG-N-LP200, ANT010-200-000, REPN-OC1-000

Certificate Amendment Record:

Issue date	Comments	BSI Internal Project No.
April 2018	First Issue to the PPE Regulation 2016/425 EU. Product initially approved to Article 10 of the PPE Directive 89/686/EEC on BSI issued certificate CE 02406, CE 85724 & CE 525924	0086:18:8849207
October 2019	Addition of EVOGUARD™ Visor Range	0086:19:3042327
April 2022	Change of EVOGuard C1 EN 166 claims & Update of the markings to EVOGUARD™ Visors range. Change of C3 to Copolyester Visor	2797: 21:3251280

Certificate validity

The manufacturer is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure so to do could invalidate the Certificate in respect of production following the introduction of such changes.

Monitoring of Manufactured PPE

The validity is also dependent on the maintenance of the EU Conformity to Type based on Quality Assurance of the production process, Annex VIII (Module D) as referenced on BSI issued Certificate CE 690890.

First Issued: 2018-04-04

Latest Issue: 2022-04-25

Effective Date: 2022-04-25

Expiry Date: 2023-04-21

Page: 10 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.